

NOV 2 0 2007

Amendments to the Claims:

This listing of claims reflects all claim amendments and replaces all prior versions, and listings, of claims in the application. Material to be inserted is in **bold and underline**, and material to be deleted is in strikeout and/or in [[double brackets]] if the deletion would be difficult to see.

AHMRT

LISTING OF CLAIMS:

(Currently amended) A method for controlling a non-player character in a computer game, the method comprising:

providing a squad of user-commandable characters, the squad including a player character and at least one non-player character, the non-player character being commandable via the player character;

detecting a predefined game event;

adjusting a current emotional <u>trust</u> state of the non-player character based on the game event; and

selecting a non-player character reaction based on the current emotional trust state of the non-player character, wherein the non-player character reaction includes being unable to perform a command from the player character when the trust state of the non-player character is below a predetermined level.[[;]]

wherein, whon the emotional state of the non-player character is beyond a predetermined level, the non-player character reaction is selected from the group consisting of a reaction that inhibits the ability of the non-player character to attack or follow commands of the player character, a self-destructive

Page 2 of 14

11/20/2007 12:44 FAX 503 458 4142

→ USPTO General Ø 009/020

act, an act of incapacitation, and a reaction of initiating or cooperating in an

AHMRT

attack upon an enemy.

2. (Original) The method of claim 1, wherein movement of the

player character is controlled by direct user input from a user input device, and

movement of the non-player character is controlled by the computer game

program.

3. (Currently amended) The method of claim 1, wherein the

emotional state [[is]] further includes a fear state.

4. (Original) The method of claim 3, the method further

comprising, adjusting the fear state of the non-player character based on the

non-player character's proximity to a fear emitter.

5. (Original) The method of claim 4, wherein detecting the

predefined game event includes detecting that the non-player character has

come within a predefined distance of a fear emitter, and wherein adjusting the

fear state includes increasing the fear state if the player is within the predefined

distance.

(Previously presented) The method of claim 4, wherein 6.

detecting the predefined game event includes detecting that the non-player

Page 3 of 14

Application Number 10/645,476

Response Date: November 20, 2007

Reply to Office Action of July 20, 2007

11/20/2007 12:44 FAX 503 459 4142

→ USPTO General

Ø1010/020

character has moved beyond a predefined distance from the fear emitter, and

AHMRT

wherein adjusting the fear state includes decreasing the fear state if the player is

beyond the predefined distance.

7. (Original) The method of claim 3, further comprising,

adjusting the fear state of the non-player character based on the non-player

character's proximity to other squad members.

8. (Original) The method of claim 7, wherein the game event is

the non-player character being left alone by the player-character for greater than

a predetermined period of time, and wherein adjusting the emotional state

includes increasing the fear state of the non-player character.

9. (Original) The method of claim 7, wherein the game event is

the non-player character being in the presence of other non-player character

squad members, and where adjusting the emotional state includes reducing the

fear state of the non-player character.

10. (Original) The method of claim 3, further comprising,

adjusting the fear state of the non-player character based on the non-player

character's possession of weapons or ammunition.

Page 4 of 14

Application Number 10/645,476

11/20/2007 12:44 FAX 503 459 4142

→ USPTO General **2** 011/020

11. (Original) The method of claim 10, wherein the game event

is the player character giving a weapon or ammunition to the non-player

AHMRT

character, and wherein adjusting the emotional state includes decreasing the fear

state of the non-player character.

12. (Original) The method of claim 10, wherein the game event

is the player character taking a weapon or ammunition from the non-player.

character, and wherein adjusting the emotional state includes increasing the fear

state of the non-player character.

13. (Original) The method of claim 3, further comprising,

adjusting the fear state of the non-player character based on medicine received

by the non-player character.

14. (Original) The method of claim 4, further comprising,

displaying the fear state of the non-player character via a fear indicator on a GUI

of the computer game.

15. (Original) The method of claim 4, further comprising,

inhibiting the non-player character from responding to a command from the

player character, when the fear state is above a predetermined level.

16. (Cancelled)

Page 5 of 14

Application Number 10/645,476

Response Date: November 20, 2007

Reply to Office Action of July 20, 2007

17. (Cancelled)

- 18. (Currently amended) The method of claim 3, wherein the emotional state further includes a trust state, the method further comprising causing the non-player character to become immune to fear-influencing events upon reaching a predetermined trust state.
- 19. (Original) The method of claim 3, wherein the non-player character reaction includes attacking an enemy when the fear state is at or below a threshold fear state.

20. (Cancelled)

- 21. (Currently amended) The method of claim [[29]]1, wherein detecting the predefined game event includes detecting the occurrence of a trust-influencing event.
- 22. (Original) The method of claim 21, wherein the trust-influencing event is a trust-down event, configured to lower a current trust state of the non-player character.

23. (Original) The method of claim 22, wherein the trust-down event includes a player character taking away weapon from a non-player character.

24. (Original) The method of claim 22, wherein the trust-down event includes a player character taking away ammunition from a non-player character.

25. (Original) The method of claim 22, wherein trust-down event includes a player character attacking a non-player character.

26. (Original) The method of claim 22, wherein trust-down event includes player character leaving a non-player character alone.

27. (Original) The method of claim 21, wherein the trust-influencing event includes a trust-up event.

28. (Original) The method of claim 27, wherein the trust-up event includes a player character giving a non-player character a weapon.

29. (Original) The method of claim 28, wherein the trust state of the non-player character is raised if the weapon is better than a weapon formerly

Page 7 of 14

possessed by the non-player character, and is lowered if the weapon is worse than formerly possessed by the non-player character.

- 30. (Currently amended) The method of claim 27, wherein the trust-up event includes a player character healing the non-player character.
- 31. (Currently amended) The method of claim 27, wherein <u>the</u> trust-up event includes a player character subjecting itself to a medical examination, in a vicinity of a non-player character.
- 32. (Currently amended) The method of claim 27, wherein the trust-up event includes a player character attacking a monster in a vicinity of non-player character.
 - 33. (Cancelled)
- 34. (Currently amended) The method of claim <u>3[[20]]</u>, wherein the emotional-state further includes a fear state, and wherein the non-player character reaction includes becoming unaffected by trust-influencing events upon reaching a threshold fear state.

35. (Currently amended) The method of claim [[20]]1, wherein the non-player character reaction includes attacking an enemy when the trust state is at a threshold trust state.

AHMRT

36. (Currently amended) A computer game system for emotionbased character interaction, the system comprising, a computer game program having:

a module configured to control movement for a squad of usercommandable characters, the squad including a player character and at least one non-player character, the non-player character being commandable via the player character; and

a non-player character module including:

a game event detector configured to detect a predefined game event;

an emotional state adjustor configured to adjust a current emotional state of the non-player character based on the game event, the current emotional state including a trust state and a fear state; and

a non-player character reaction selector configured to select a non-player character reaction based on the current-omotional state of the non-player character; based on a determination of whether the fear state of the non-player character is detected to be above a predetermined level, whether the fear state is detected to be below a predetermined level and the trust state is detected to be above a

Page 9 of 14

predetermined level, and/or whether the trust state of the non-player character is detected to be below a predetermined level.

wherein, when the emotional state of the non player character is beyond a predetermined level, the non player character reaction is selected from the group consisting of a reaction that inhibits the ability of the non player character to attack or follow commands of the player character, a self destructive act, an act of incapacitation, and a reaction of initiating or cooperating in an attack upon an enemy.

37. (Currently amended) Computer readable media having instructions stored thereon, which when executed by a computing device, cause the computing device to perform a method comprising the steps of:

providing a squad of user-commandable characters, the squad including a player character and at least one non-player character, the non-player character being commandable via the player character;

detecting a predefined game event;

adjusting a current emotional <u>trust</u> state of the non-player character based on the game event; and

selecting a non-player character reaction based on the current emotional trust state of the non-player character, wherein the non-player character reaction includes being unable to perform a command from the player character when the trust state of the non-player character is below a predetermined level.[[;]]

Page 10 of 14

11/20/2007 12:46 FAX 503 459 4142

AHMRT → USPTO General Ø 017/020

wherein, when the emotional state of the non-player character is

beyond a predetermined level, the non-player character reaction is selected from

the group consisting of a reaction that inhibits the ability of the non-player

character to attack or follow commands of the player character, a self destructive

act, an act-of incapacitation, and a reaction of initiating or cooperating in an

attack upon an enemy.

38. (New) The computer game system of claim 36, wherein

when the fear state of a non-player character is detected to be above a

predetermined level, the non-player character reaction is selected from the group

consisting of inhibiting the non-player character from responding to a command

from the player character, performing a self-destructive act and performing an act

of incapacitation;

wherein, when the fear state is below a threshold and the trust state

Is above a threshold, the non-player character reaction is selected from the group

consisting of initiating an attack and cooperating in an attack upon an enemy;

and

wherein, when the trust state of the non-player character is below a

predetermined level, the non-player character reaction is selected from the group

consisting of being unable to attack enemy and being unable to perform a

command from the player character.

Page 11 of 14

Application Number 10/645,476

Response Date: November 20, 2007

Reply to Office Action of July 20, 2007